

Robotics kit UR



Product information

Especially designed sets for cable routing on robots of the Universal Robots Company.

The assembly includes the protective conduit, end sleeves and the appropriate fastening with non-slip hook-and-loop tape.

For an easier installation of pre-assembled cables, the protective conduit is available in slit version type LS.

The set offers a lowest possible interference contour for a low risk of damage.

Optional accessories:

- R-SSR - tension clamp for axis 6
- SH-P M25-M32 - system holder
- KEG/ZL or KEG/K - strain relief



Information, conformities and approvals




Article	Order No.	Color	Corrugated conduit	Corrugated conduit size	Corrugated conduit length	Condition	Diameter	Diameter	PU
							inside	outside	
							mm	mm	
Fixing kit for Universal Robot UR3									
FHS-C-Set UR3 1)	83693480	Black / Red	EWX-PP-LS	M25/P21	2	slit	18.3	28	1
FHS-UHE-Set UR3 2)	83693494	Black / Red	EWX-PP-LS	M25/P21	2	slit	18.3	28	1
FHS-SH-Set UR3 3)	83693491	Black / Red	EWX-PP-LS	M25/P21	2	slit	18.3	28	1
Fixing kit for Universal Robot UR5									
FHS-C-Set UR5 4)	83693482	Black / Red	EWX-PP-LS	M32/P29	2.5	slit	22.6	34.2	1
FHS-UHE-Set UR5 5)	83693489	Black / Red	EWX-PP-LS	M32/P29	2	slit	22.6	34.2	1
FHS-SH-Set UR5 6)	83693492	Black / Red	EWX-PP-LS	M32/P29	2	slit	22.6	34.2	1
FHS-RS-Set UR5 7)	83693495	Black / Red	EWX-PP-LS	M32/P29	2	slit	22.6	34.2	1
Fixing kit for Universal Robot UR10									
FHS-C-Set UR10 8)	83693484	Black / Red	EWX-PP-LS	M32/P29	3.5	slit	22.6	34.2	1

Robotics kit UR

Article	Order No.	Color	Corrugated conduit	Corrugated conduit size	Corrugated conduit length	Condition	Diameter inside mm	Diameter outside mm	PU pcs.
FHS-UHE-Set UR10 ⁹⁾	83693490	Black / Red	EWX-PP-LS	M32/P29	3.5	slit	22.6	34.2	1
FHS-SH-Set UR10 ¹⁰⁾	83693493	Black / Red	EWX-PP-LS	M32/P29	3.5	slit	22.6	34.2	1
FHS-RS-Set UR10 ¹¹⁾	83693496	Black / Red	EWX-PP-LS	M32/P29	3.5	slit	22.6	34.2	1
Fixing kit for Universal Robot UR16e									
FHS-UHE-Set UR16e ¹²⁾	83693497	Black / Red	EWX-PP-LS	M32/P29	3	slit	22.6	34.2	1
FHS-SH-Set UR16e ¹³⁾	83693498	Black / Red	EWX-PP-LS	M32/P29	3	slit	22.6	34.2	1
Fixing kit for Universal Robot UR20									
FHS-C-Set UR20 ¹⁴⁾	83693485	Black / Red	EWX-PP-LS	M32/P29	4	slit	22.6	34.2	1
FHS-SH-Set UR20 ¹⁵⁾	83693499	Black / Red	EWX-PP-LS	M32/P29	4	slit	22.6	34.2	1
<div><div>1) Set consists of: 2m EWX-PP-LS M25/P21, 3x FHS-C incl. hook-and-loop tape, 2x end grommets, 1x wire insertion tool</div><div>2) Set consists of: 2m EWX-PP-LS M25/P21, 3x FHS-UHE incl. hook-and-loop tape, 2x end grommet, 1x wire insertion tool</div><div>3) Set consists of: 2m EWX-PP-LS M25/P21, 2x FHS-SH incl. hook-and-loop tape, 1x end grommet, 1x strain relief, 1x tension clamp axis 6, 1x wire insertion tool</div><div>4) Set consists of: 2m EWX-PP-LS M32/P29, 4x FHS-C incl. hook-and-loop tape, 2x end grommets, 1x wire insertion tool</div><div>5) Set consists of: 2m EWX-PP-LS M32/P29, 4x FHS-UHE incl. hook-and-loop tape, 2x end grommet, 1x wire insertion tool</div><div>6) Set consists of: 2m EWX-PP-LS M32/P29, 3x FHS-SH incl. hook-and-loop tape, 1x end grommet, 1x strain relief, 1x tension clamp axis 6, 1x wire insertion tool</div><div>7) Set consists of: 2m EWX-PP-LS M32/P29, 1x- spring-return mechanism, 2x FHS-UHE incl. hook-and-loop tape, 1x end grommet, 1x strain relief, 1x tension clamp axis 6, 1x wire insertion tool</div><div>8) Set consists of: 3.5m EWX-PP-LS M32/P29, 5x FHS-C incl. hook-and-loop tape, 2x end grommets, 1x wire insertion tool</div><div>9) Set consists of: 3.5m EWX-PP-LS M32/P29, 5x FHS-UHE incl. hook-and-loop tape, 2x end grommet, 1x wire insertion tool</div><div>10) Set consists of: 3.5m EWX-PP-LS M32/P29, 4x FHS-SH incl. hook-and-loop tape, 1x end grommet, 1x strain relief, 1x tension clamp axis 6, 1x wire insertion tool</div><div>11) Set consists of: 3.5m EWX-PP-LS M32/P29, 1x- spring-return mechanism, 2x FHS-UHE incl. hook-and-loop tape, 1x end grommet, 1x strain relief, 1x tension clamp axis 6, 1x wire insertion tool</div><div>12) Set consists of: 3m EWX-PP-LS M32/P29, 4x FHS-UHE incl. hook-and-loop tape, 2x end grommet, 1x wire insertion tool</div><div>13) Set consists of: 3m EWX-PP-LS M32/P29, 3x FHS-SH incl. hook-and-loop tape, 1x end grommet, 1x strain relief, 1x tension clamp axis 6, 1x wire insertion tool</div><div>14) Set consists of: 4m EWX-PP-LS M32/P29, 5x FHS-C incl. hook-and-loop tape, 2x end grommets, 1x wire insertion tool</div><div>15) Set consists of: 4m EWX-PP-LS M32/P29, 4x FHS-SH incl. hook-and-loop tape, 1x end grommet, 1x strain relief, 1x tension clamp axis 6, 1x wire insertion tool</div></div>									

Material properties




Polypropylene (PP)


Thermoplastic elastomer

mod. polyamide

Conformity



UR+ Certified



RoHS (EC Directive 2011/65/EU)

Robotics kit UR

Approvals and operating permits



ROBI approval

Classification



ETIM 9: EC010745
ECLASS 14: 27439090

All details given in our sales brochures and catalogues, as well as the information available online, are based on our current knowledge of the products described.
The electronic data and files made available by Murrplastik, particularly CAD files are based on our current knowledge of the product described.
A legally binding assurance of certain properties or the suitability for a certain purpose can not be determined from this information.
All information with respect to the chemical and physical properties of Murrplastik products, as well as application advice given verbally, in writing or by tests, is given to the best of our knowledge.
They do not release the buyer from the obligation to carry out his own tests and trials in order to determine the concrete suitability of the products for the intended purpose.
Murrplastik accepts no responsibility for the available information being up-to-date, correct or complete. Neither do we accept responsibility for the quality of this information.
Murrplastik accepts no liability for damage caused as a result of using our products.
Murrplastik reserves the right to make technical changes and improvements through constant further development of products and services.
Our General Terms and Conditions apply.