


Type VW 45° (plastic thread)



PRODUCT INFORMATION

The VW 45° conduit fittings are made of specially modified polyamide 6 and thermo-plastic elastomer. The materials are halogen, phosphor and cadmium-free.

The VW 45° conduit fittings feature the following advantages:

- Quick assembly, insert conduit, screw upper part tight, done
- No parts can get lost, delivered completely assembled

- Resistant to vibration due to lockable cap nut
- Clamping along entire circumference, ensuring maximum tensile strength.
- High level of tightness at IP 68/69K without any add-on components to EN 60529

Specification:


- EN 45545-2 3x HL3

SPECIFICATIONS

- 40 – 110 °C short term 140 °C
- Fitting: Mod. polyamide PA 6
Connecting thread: Mod. polyamide PA 6
- Acc. to UL94 V0 self-extinguishing
- IP 68 up to 6 bar (IP 69K)

Type	Order No.	Colour	Connecting thread	Suitable for Murrflex	EH mm	GL mm	LW mm	B mm	SW 1 / 2 mm	Pack qty.
Metric plastic thread										
VW 45 M12-K ¹⁾	83513052	Black	M12x1.5	M12/P09	38.00	12.00	7.20	36.00	21.0 / 21.0	50
VW 45 M16-K ¹⁾	83513054	Black	M16x1,5	M16/P11	45.00	12.00	10.50	43.00	27.0 / 27.0	50
VW 45 M20-K ¹⁾	83513056	Black	M20x1.5	M20/P16	56.00	13.00	14.60	52.00	34.0 / 34.0	50
VW 45 M25-K ¹⁾	83513058	Black	M25x1.5	M25/P21	65.00	13.00	18.70	65.00	41.0 / 41.0	25
VW 45 M32-K ¹⁾	83513060	Black	M32x1.5	M32/P29	77.00	14.00	25.50	79.00	50.0 / 50.0	25
VW 45 M40-K ²⁾	83513062	Black	M40x1.5	M40/P36	90.00	17.00	33.00	95.00	60.0 / 60.0	25
VW 45 M50-K ¹⁾	83513064	Black	M50x1.5	M50/P48	105.00	17.00	42.00	115.00	75.0 / 75.0	10
Pg plastic threading										
VW 45 P9-K ¹⁾	83513452	Black	Pg 09	M12/P09	38.00	12.00	7.20	36.00	21.0 / 21.0	50
VW 45 P11-K ¹⁾	83513454	Black	Pg 11	M16/P11	45.00	12.00	10.50	43.00	27.0 / 27.0	50
VW 45 P16-K ¹⁾	83513456	Black	Pg 16	M20/P16	56.00	13.00	14.60	52.00	34.0 / 34.0	50
VW 45 P21-K ¹⁾	83513458	Black	Pg 21	M25/P21	65.00	13.00	18.70	65.00	41.0 / 41.0	25
VW 45 P29-K ¹⁾	83513460	Black	Pg 29	M32/P29	77.00	14.00	25.50	79.00	50.0 / 50.0	25
VW 45 P36-K ²⁾	83513462	Black	Pg 36	M40/P36	90.00	17.00	33.00	95.00	60.0 / 60.0	25
VW 45 P48-K ¹⁾	83513464	Black	Pg 48	M50/P48	105.00	17.00	42.00	115.00	75.0 / 75.0	10

Type VW 45° (plastic thread) (Continued...)




Type	Order No.	Colour	Connecting thread	Suitable for Murrflex	EH mm	GL mm	LW mm	B mm	SW 1 / 2 mm	Pack qty.
VW 45 P9-K ¹⁾	83513412	Grey	Pg 09	M12/P09	38.00	12.00	7.20	36.00	21.0 / 21.0	50
VW 45 P11-K ¹⁾	83513414	Grey	Pg 11	M16/P11	45.00	12.00	10.50	43.00	27.0 / 27.0	50
VW 45 P16-K ¹⁾	83513416	Grey	Pg 16	M20/P16	56.00	13.00	14.60	52.00	34.0 / 34.0	50
VW 45 P21-K ¹⁾	83513418	Grey	Pg 21	M25/P21	65.00	13.00	18.70	65.00	41.0 / 41.0	25
VW 45 P29-K ¹⁾	83513420	Grey	Pg 29	M32/P29	77.00	14.00	25.50	79.00	50.0 / 50.0	25
VW 45 P36-K ²⁾	83513422	Grey	Pg 36	M40/P36	90.00	17.00	33.00	95.00	60.0 / 60.0	25
VW 45 P48-K ¹⁾	83513424	Grey	Pg 48	M50/P48	105.00	17.00	42.00	115.00	75.0 / 75.0	10
NPT plastic threading										
VW 45 NPT 3/8"-K ¹⁾	83513850	Black	3/8"	M16/P11	45.00	12.00	10.50	43.00	25.0 / 25.0	50
VW 45 NPT 1/2"-K ¹⁾	83513852	Black	1/2"	M20/P16	56.00	13.00	14.60	52.00	33.0 / 33.0	50
VW 45 NPT 3/4"-K ¹⁾	83513854	Black	3/4"	M25/P21	65.00	13.00	18.70	65.00	41.0 / 41.0	25
VW 45 NPT 1"-K ¹⁾	83513856	Black	1"	M32/P29	77.00	14.00	25.50	79.00	50.0 / 50.0	25
VW 45 NPT 1 1/4"-K ²⁾	83513858	Black	1 1/4"	M40/P36	90.00	17.00	33.00	95.00	60.0 / 60.0	25
VW 45 NPT 2"-K ¹⁾	83513860	Black	2"	M50/P48	105.00	17.00	42.00	115.00	75.0 / 75.0	10
VW 45 NPT 3/8"-K ¹⁾	83513810	Grey	3/8"	M16/P11	45.00	12.00	10.50	43.00	25.0 / 25.0	50
VW 45 NPT 1/2"-K ¹⁾	83513812	Grey	1/2"	M20/P16	56.00	13.00	14.60	52.00	33.0 / 33.0	50
VW 45 NPT 3/4"-K ¹⁾	83513814	Grey	3/4"	M25/P21	65.00	13.00	18.70	65.00	41.0 / 41.0	25
VW 45 NPT 1"-K ¹⁾	83513816	Grey	1"	M32/P29	77.00	14.00	25.50	79.00	50.0 / 50.0	25
VW 45 NPT 1 1/4"-K ²⁾	83513818	Grey	1 1/4"	M40/P36	90.00	17.00	33.00	95.00	60.0 / 60.0	25
VW 45 NPT 2"-K ¹⁾	83513820	Grey	2"	M50/P48	105.00	17.00	42.00	115.00	75.0 / 75.0	10

¹⁾ With cURus- approval

²⁾ With CSA- and cURus- approval

Type VW 45° (metal thread)



PRODUCT INFORMATION

The VW 45° conduit fittings are made of specially modified polyamide 6, thermo-plastic elastomer and nickel-plated brass. The materials are halogen, phosphor and cadmium-free.

The VW 45° conduit fittings feature the following advantages:

- Quick assembly, insert conduit, screw upper part tight, done
- No parts can get lost, delivered completely assembled

- Resistant to vibration due to lockable cap nut
- Clamping along entire circumference, ensuring maximum tensile strength.
- High level of tightness at IP 68/69K to 6 bar without any add-on components to EN 60529

Specification:

- EN 45545-2 3x HL3


SPECIFICATIONS

- 40 – 110 °C short term 140 °C
- Fitting: Mod. polyamide PA 6
Connecting thread: Nickel-plated brass
- Acc. to UL94 V0 self-extinguishing
- IP 68 up to 6 bar (IP 69K)



Type	Order No.	Colour	Connecting thread	Suitable for Murrflex	EH mm	GL mm	LW mm	B mm	SW 1 / 2 mm	Pack qty.
Metric metal thread										
VW 45 M12-M ¹⁾	83513252	Black	M12x1.5	M12/P09	38.00	12.00	7.20	36.00	21.0 / 21.0	50
VW 45 M16-M ¹⁾	83513254	Black	M16x1,5	M16/P11	45.00	12.00	10.50	43.00	27.0 / 27.0	50
VW 45 M20-M ¹⁾	83513256	Black	M20x1.5	M20/P16	56.00	13.00	14.60	52.00	34.0 / 34.0	50
VW 45 M25-M ¹⁾	83513258	Black	M25x1.5	M25/P21	65.00	13.00	18.70	65.00	41.0 / 41.0	25
VW 45 M32-M ¹⁾	83513260	Black	M32x1.5	M32/P29	77.00	14.00	25.50	79.00	50.0 / 50.0	25
VW 45 M40-M ²⁾	83513262	Black	M40x1.5	M40/P36	90.00	17.00	33.00	95.00	60.0 / 60.0	25
VW 45 M50-M ¹⁾	83513264	Black	M50x1.5	M50/P48	105.00	17.00	42.00	115.00	75.0 / 75.0	10
Pg-metal threading										
VW 45 P9-M ¹⁾	83513652	Black	Pg 09	M12/P09	38.00	12.00	7.20	36.00	21.0 / 21.0	50
VW 45 P11-M ¹⁾	83513654	Black	Pg 11	M16/P11	45.00	12.00	10.50	43.00	27.0 / 27.0	50
VW 45 P16-M ¹⁾	83513656	Black	Pg 16	M20/P16	56.00	13.00	14.70	52.00	34.0 / 34.0	50
VW 45 P21-M ¹⁾	83513658	Black	Pg 21	M25/P21	65.00	13.00	18.70	65.00	41.0 / 41.0	25
VW 45 P29-M ¹⁾	83513660	Black	Pg 29	M32/P29	77.00	14.00	25.50	79.00	50.0 / 50.0	25
VW 45 P36-M ²⁾	83513662	Black	Pg 36	M40/P36	90.00	17.00	33.00	95.00	60.0 / 60.0	25
VW 45 P48-M ¹⁾	83513664	Black	Pg 48	M50/P48	105.00	17.00	42.00	115.00	75.0 / 75.0	10

Type VW 45° (metal thread) (Continued...)



Type	Order No.	Colour	Connecting thread	Suitable for Murrflex	EH mm	GL mm	LW mm	B mm	SW 1 / 2 mm	Pack qty.
VW 45 P9-M ¹⁾	83513612	Grey	Pg 09	M12/P09	38.00	12.00	7.20	36.00	21.0 / 21.0	50
VW 45 P11-M ¹⁾	83513614	Grey	Pg 11	M16/P11	45.00	12.00	10.50	43.00	27.0 / 27.0	50
VW 45 P16-M ¹⁾	83513616	Grey	Pg 16	M20/P16	56.00	13.00	14.70	52.00	34.0 / 34.0	50
VW 45 P21-M ¹⁾	83513618	Grey	Pg 21	M25/P21	65.00	13.00	18.70	65.00	41.0 / 41.0	25
VW 45 P29-M ¹⁾	83513620	Grey	Pg 29	M32/P29	77.00	14.00	25.50	79.00	50.0 / 50.0	25
VW 45 P36-M ²⁾	83513622	Grey	Pg 36	M40/P36	90.00	17.00	33.00	95.00	60.0 / 60.0	25
VW 45 P48-M ¹⁾	83513624	Grey	Pg 48	M50/P48	105.00	17.00	42.00	115.00	75.0 / 75.0	10
NPT metal threading										
VW 45 NPT 3/8"-M ¹⁾	83514050	Black	3/8"	M16/P11	45.00	12.00	10.50	43.00	24.0 / 24.0	50
VW 45 NPT 1/2"-M ¹⁾	83514052	Black	1/2"	M20/P16	56.00	13.00	14.60	52.00	33.0 / 33.0	50
VW 45 NPT 3/4"-M ¹⁾	83514054	Black	3/4"	M25/P21	65.00	13.00	18.70	65.00	41.0 / 41.0	25
VW 45 NPT 1"-M ¹⁾	83514056	Black	1"	M32/P29	77.00	14.00	25.50	79.00	50.0 / 50.0	25
VW 45 NPT 1 1/4"-M ²⁾	83514058	Black	1 1/4"	M40/P36	90.00	17.00	33.00	95.00	60.0 / 60.0	25
VW 45 NPT 2"-M ¹⁾	83514060	Black	2"	M50/P48	105.00	17.00	42.00	115.00	75.0 / 75.0	10
VW 45 NPT 3/8"-M ¹⁾	83514010	Grey	3/8"	M16/P11	45.00	12.00	10.50	43.00	24.0 / 24.0	50
VW 45 NPT 1/2"-M ¹⁾	83514012	Grey	1/2"	M20/P16	56.00	13.00	14.60	52.00	33.0 / 33.0	50
VW 45 NPT 3/4"-M ¹⁾	83514014	Grey	3/4"	M25/P21	65.00	13.00	18.70	65.00	41.0 / 41.0	25
VW 45 NPT 1"-M ¹⁾	83514016	Grey	1"	M32/P29	77.00	14.00	25.50	79.00	50.0 / 50.0	25
VW 45 NPT 1 1/4"-M ²⁾	83514018	Grey	1 1/4"	M40/P36	90.00	17.00	33.00	95.00	60.0 / 60.0	25
VW 45 NPT 2"-M ¹⁾	83514020	Grey	2"	M50/P48	105.00	17.00	42.00	115.00	75.0 / 75.0	10

¹⁾With cURus- approval

²⁾With CSA- and cURus- approval

³⁾With cURus approval, - min. order quantity 750 pcs